# Author Index


ACKERMAN S.K., *see* COSIO F.G.
ADA G.L., *see* LEUNG K.N.
ALARCON-SEGOVIA D., *see* RUIZ-ARGUELLES A.
ALLANSMITH M.R., BLOCH K.J., BAIRD R.S. & SINCLAIR K. Ocular anaphylaxis: induction by local injection of antigen, 499
AMBROSIUS H., *see* DROSSLER K.
ALONSO J.M., *see* HURTREL B.
AMOROSO S., *see* COCCHIARA ROBERTA.
ARAI SUMIO, *see* TERUKINA SHIGEKAZU.
AREND W.P. & MASSONI R.J. The effect of complement in adherent immune complexes on Fc and C3 receptor expression in human monocytes, 717

BACH J.F., *see* EDELMAN LENA.
BAHR G.M., ROOK G.A.W. & STANFORD J.L. Inhibition of the proliferative response of peripheral blood lymphocytes to mycobacterial or fungal antigens by co-stimulation with antigens from various mycobacterial species, 593
BAHR G.M., ROOK G.A.W., STANFORD J.L., LYDYARD P.M. & BRYCESON A.D.M. The effect of delayed addition of antigen and E rosetting on the proliferative response to mycobacterial antigens of peripheral blood lymphocytes from normal individuals or from patients with tuberculosis or leprosy, 585
BAIRD R.S., *see* ALLANSMITH M.R.
BANDOUVAS E., *see* HEATLEY R.V.
BANERJEE, D., FERNANDO L., SKLAR S. & RICHTER M. The antibody-independent cytotoxic activity of normal circulating human leucocytes. I. Lysis of target cells by monocytes and neutrophils in a non-phagocytic pathway, 97
BANERJEE D., *see* RICHTER M.
BARBET A.F., *see* VERVOORT T.
BARCLAY A.N. Different reticular elements in rat lymphoid tissue identified by localization of Ia, Thy 1 and MRC OX 2 antigens, 727
BAZIN H., *see* LEHRER S.B.
BERTOVICH M.J., *see* MACDERMOTT R.P.
BIENENSTOCK J., *see* HEATLEY R.V.
BINNS R.M., RABST R. & LICENCE S.T. Classification of lymphocytes recirculating in the spleen, 273
BINNS R.M., *see* RABST R.
BLOCH K.J., *see* ALLANSMITH M.R.
BOMFORD R. The adjuvant activity of fatty acid esters. The role of acyl chain length and degree of saturation, 187
BOWMAN BARBARA J., *see* SMITH R.J.
BRANDT C. JEANNE, DEPPE LINDA B. & MALLEY A. Antigen B-specific helper factor from timothy grass pollen: isolation and partial characterization, 373
BUIJS W.C.A.M., *see* VAN BEUSEKOM H.J.
BRYCESON A.D.M., *see* BAHR G.M.

CABILLY S. & GALLILY RUTH. Non-immunological recognition and killing of xenogeneic cells by macrophages. I. Repertoire of recognition, 347
CABILLY S. & GALLILY RUTH. Non-immunological recognition and killing of xenogeneic cells by macrophages. II. Mechanism of killing, 357
CALVANICO N.J., *see* GEOGHEGAN W.D.
CALVERT JANE E., LING N.R. & JEFFERIS R. Study of proteolytic removal of Fab$\delta$ and Fc$\delta$ determinants of lymphocyte membrane IgD using a direct rosette assay, 89
CAMPBELL A.K., *see* HALLETT M.B.
CARLO J.R., SPITZNAGEL J.K., STUDER E.J., CONRAD E.H. & RUDDY S. Cleavage of membrane bound C3bi, an intermediate of the third component of complement, to C3c- and C3d-like fragments by crude leucocyte lysosomal lysates and purified leucocyte elastase, 381
CHANG J.-L., GANEA DOINA, DRAY S. & TEODORESCU M. An $\alpha_2$-macroglobulin associated factor produced by T lymphocytes which provides polyclonal stimulation of B lymphocytes to maintain the turnover of their surface Ig, 745
G. CHAOUAT & G. A. VOISIN. Regulatory T cells in pregnancy. III. Comparison of early acting and late acting suppressor T cells in MLR: evidence for involvement of differential T-cell subsets, 393
CHUNG CHEE, *see* LIM T.S.
COCCHIARA ROBERTA, GIALLONGO AGATA, AMOROSO S., SPINA G., STANCAMPIANO ROSA & GERACI DOMENICO. Circulating immune complexes in patients with usual interstitial pulmonary fibrosis: partial characterization and relationship with *Thermoactinomyces vulgaris*, 817
COLE F., *see* HEATLEY R.V.
COLE P.J., *see* WILLIAMS A.J.
COLEMAN J.W. & GODFREY R.C. The number and affinity of IgE receptors on dispersed human lung mast cells, 859.
COLLINS F.M., *see* CUNNINGHAM D.A.
CONRAD D.H., *see* CARLO J.R.
COOKE S.L., *see* ROCHE J.K.
COOK S.R., *see* ROCHE J.K.
COOMBS R.R.A., *see* WILSON ANNE B.
CORNWELL III G.G., WESTERMARK R., NATVIG J.B. & MURDOCH WENDY. Senile cardiac amyloid: evidence that fibrils contain a protein immunologically related to prealbumin, 447
COSIO F.G., ACKERMAN S.K., DOUGLAS S.D., FRIEND P.S. & MICHAEL A.F. Soluble immune complexes binding to human monocytes and polymorphonuclear leucocytes, 773
COTMORE S.F., *see* RITTER M.A.
CRILLY P.J., *see* STIMSON W.H.
CUNNINGHAM D.S. & COLLINS F.M. Suppressor and helper T-cell populations in *Mycobacterium kansasii*-infected spleens, 473

DANDEU J.-P., *see* LE MAO J.
DAVID B., *see* LE MAO J.
DAVIES M.D.J. & PARROTT DELPHINE M.V. Cytotoxic T cells in small intestine epithelial lamina propria and lung lymphocytes, 367

DAWSON C.A., *see* GEOGHEGAN W.D.
DAY E.D., *see* ROCHE J.K.
DECOCK W., *see* VAN WAUWE J.
DEPPE LINDA B., *see* BRANDT C. JEANNE.
DIAZ-JOUANEN E., *see* RUIZ-ARGUELLES A.
DOINEL CH., *see* EDELMAN LENA
DOUGLAS S.D., *see* COSIO F.G.
DRAY S., *see* CHANG J.-L.
DRAYSON M.T., SMITH M.E. & FORD W.L. The sequence of changes in blood flow and lymphocyte influx to stimulated rat lymph nodes, 125
DRÖSSLER K., KLIMA F. & AMBROSIUS H. The influence of cyclophosphamide and 6-mercaptopurine on the IgG1 and IgG2 immune response in guinea-pigs, 61
DUCHANGE N., MILLERIOUX L. & LENFANT M. Further study on the humoral response of a highly-purified spleen-derived immunosuppressive peptide (SDIP), 249
DUPONT BO, *see* GÓRSKI, A.

EDELMAN LENA, ROUGER PH., DOINEL CH., GARCHON H., BACH J.F., REVIRON J. & SALMON CH. Thermodynamic and immunological properties of a monoclonal antibody to human blood group A, 549
ENDHO N. & HASHIMOTO Y. Factors influencing the autologous mixed reaction in rats: effect of xenogeneic serum protein, 499
ESDAILE JANE, *see* MORENO C.

FARRIS PATRICIA N., *see* LEHRER S.B.
FELDBUSH T.L., *see* LAFRENZ D.E.
FERNANDEZ L.A. & MACSWEEN J.M. The suppressive effects of monocytes in the autologous mixed lymphocyte reaction, 653
FERNANDO L., *see* BANERJEE D.
FIORINI R.C., *see* LALLY E.T.
FLEXMAN J.P. & SHELLAM G.R. Mechanism of stimulation of natural killer-cell cytotoxocity by interferon and an interferon-inducer in the rat, 311
FORD W.L., *see* DRAYSON M.T.
FOSSATI C.A. & SPITZ M. Participation of diffusible products in the *in vivo* immune primary response to red blood cells, 11
FRIEND P.S., *see* COSIO F.G.
FÜST G., *see* KÁVAI MARIA.

GACIONG Z., *see* GÓRSKI A.
GALBRAITH R.M. & GALBRAITH GILLIAN. Expression of transferrin receptors on mitogen-stimulated human peripheral blood lymphocytes: relation to cellular activation and related metabolic events, 703
GALBRAITH GILLIAN M.P., *see* GALBRAITH R.M.
GALLILY RUTH, *see* CABILLY S.
GANEA D., *see* CHANG J.-L.
GARCHON H., *see* EDELMAN LENA.
GEOGHEGAN W.D., DAWSON C.A. & CALVANICO N.J. The effect of IgG and IgG fragments on the absorption of inhaled antigens across the air–blood barrier of isolated perfused rabbit lungs, 333
GERACI D., *see* COCCHIARA ROBERTA.
GERGELY J., *see* KÁVAI MARIA.
GIALLONGO AGATA, *see* COCCHIARA ROBERTA.
GLASS ELIZABETH, STEWART J. & WEIR D. M.. Presence of bacterial binding 'lectin-like' receptors on phagocytes, 529
GODFREY R.C., *see* COLEMAN J.W.
GOLDING B.V., *see* MORTON JANE I.
GOLDSTEIN G., *see* VAN WAUWE J.
GOOSSENS J., *see* VAN WAUWE J.
GORCZYNSKI R.M. & MACRAE SUSANNAH. Microheterogeneity in regulatory circuits for T-cell alloresponsiveness, 827
GÓRSKI A., GACIONG Z. & DUPONT BO. Enhanced clonability of human T lymphocytes caused by their culturing *in vitro*, 617
GOTTESMAN SUSAN R.S., KRISTIE J.A. & WALFORD R.L. Proliferative and cytotoxic immune functions in ageing mice. I. Sequence of decline of reactivities measured under optimal and suboptimal sensitization conditions, 607

HALE CHRISTINE, *see* MORENO C.
HALL ELIZABETH, *see* NAWA Y.
HALLETT M.B., LUZIO J.P. & CAMPBELL A.K. Stimulation of $Ca^{2+}$-dependent chemiluminescence in rat polymorphonuclear leucocytes by polystyrene beads and the non-lytic action of complement, 569
HARDINGHAM T., *see* STAINES N.A.
HASHIMOTO Y., *see* ENDHO N.
HEATLEY R.V., STARK, J.M., HORSEWOOD P., BANDOUVAS E., COLE F. & BIENENSTOCK J. The effects of surgical removal of Peyer's patches in the rat on systemic antibody responses to intestinal antigen, 543
HENDERSON B., *see* STAINES N.A.
HEWETT ROSEMARY, *see* MORENO C.
HIMENO K., *see* MIYATA H.
HORSEWOOD P., *see* HEATLEY R.V.
HSI B., *see* MCINTYRE J.A.
HUNTLEY J.F., *see* MILLER H.R.P.
HURTREL B., ALONSO J.M., LAGRANGE P.H. & HURTREL MARYSE. Delayed-type hypersensitivity and acquired resistance to plague in mice immunized with killed *Yersinia pestis* and immunoregulators, 297
HURTREL MARYSE, *see* HURTREL B.

ICHIKAWA Y., *see* KANKI T.
IDEN SUSAN S., *see* SMITH R.J.
INCEFY G.S., *see* MOODY C.E.
INNES J.B., *see* MOODY C.E.

JARRETT ELLEN E.E., *see* NAWA Y.
JEFFERIS R., *see* CALVERT JANE E.
JENTJENS THEA M.J., *see* VAN DEN BERG W.B.
JUNGI R., *see* JUNGI T.W.
JUNGI T.W. & JUNGI R. Immunological memory to *Listeria monocytogenes* in rodents. IV. Studies on origin and fate of tissue-positioned T memory cells, 789

KANKI T., MORIYA O. & ICHIKAWA Y. Cell-free translation of immunoglobulin G polypeptides by chicken bursal RNA, 233
KAR S., *see* PINDER MARGARET.
KÁVAI MARIA, SÁNDOR M., SZEGEDI GY., FÜST G. & GERGELEY J. Effect of soluble immune complexes on Fc and C3 receptor-dependent phagocytosis by human monocytes, 599

KIENKER LAURA J., *see* MACDERMOTT R.P.
KIERSZENBAUM F. On evasion of *Trypanosoma cruzi* from the host immune response. Lymphoproliferative responses to trypanosomal antigens during acute and chronic experimental Chagas' disease, 641
KLAUS G.G.B., *see* KUNKL ANNALISA.
KLIMA F., *see* DRÖSSLER K.
KLOPPER A., *see* MCINTYRE J.A.
KODAMA K., YOSHIDA T., SHIBUYA T., KURASHIGE S. & MITSUCHASHI S. Induction of IgM memory with RNA from the spleens of immunized mice, 535
KRETSCHMER R.R., *see* ROSENSTEIN YVONNE.
KRISTIE J.A., *see* GOTTESMAN SUSAN R.S.
KUAN T.K., TUNG E., WANG I.Y. & WANG A.C. Three monoclonal immunoglobulins, an $IgG_2(\kappa)$, an $IgM(\kappa)$ and an IgM/A hybrid in one patient. II. Sharing of common variable regions, 265
KUAN T.K., *see* TUNG E.
KUNG P., *see* VAN WAUWE J.
KUNKL ANNALISA & KLAUS G.G.B. The generation of memory cells. V. Preferential priming of IgG2 B memory cells by immunization with antigen IgG2 antibody complexes, 163
KURASHIGE S., *see* KODAMA K.

LACHMANN P.J., *see* WOO PATRICIA.
LAFARGE-FRAYSSINET CHRISTIANE, *see* ROSENSTEIN YVONNE.
LAFRENZ D.E. & FELDBUSH T.L. Role of T cells in the development of memory B cells. Quantitative and qualitative analysis, 177
LAGRANGE P.H., *see* HURTREL B.
LALLY E.T., FIORINI R.C. & MONTGOMERY P.C. Co-operative cellular interactions in the generation of adoptively-transferred murine IgA responses, 695
LAPPIN D., *see* MCPHADEN A.
LARSEN H.S., *see* SCHMID D.S.
LAVROVSKY & V. KH. VIKSLER. Enhanced immune reactivity to hepatoma 22a cells in MTV-infected compared with MTV-free C3H mice, 671
LEHRER S.B., MCCANTS MARJORY L., FARRIS PATRICIA N. & BAZIN H. Passive cutaneous anaphylaxis inhibition: evidence for heterogeneity in IgE mast cell interaction, 711
LE MAO J., DANDEU J.P., RABILLON J., LUX M. & DAVID B. Antigens and allergens in *Dermatophagöides farinae* mite. I. Immunochemical and physicochemical study of two allergenic fractions from a partially-purified *Dermatophagöides farinae* mite extract, 239
LENFANT M., *see* DUCHANGE N.
LEUNG K.N., MAK N.K. & ADA G.L. The inductive requirements for the primary *in vitro* generation of delayed-type hypersensitivity response to influenza virus in mice, 17
LICENCE S.T., *see* BINNS R.M.
LIM T.S., PUTT N., SAFRANSKI D., CHUNG CHEE & WATSON R.R. Effect of vitamin E on cell-mediated immune responses and serum corticosterone in young and maturing mice, 289
LING N.R., *see* CALVERT JANE E.
LITMAN G.W., *see* TUNG E.
LLOPENTE L., *see* RUIZ-ARGUELLES A.
LUNDIN LENA B., *see* PINDER MARGARET.
LUX M., *see* LE MAO J.
LUZIO J.P., *see* HALLETT M.B.
LYDYARD P.M., *see* BAHR G.M.

MCCANTS MARJORY L., *see* LEHRER S.B.
MACDERMOTT R.P., KIENKER LAURA J., BERTOVICH M.J. & MUCHMORE A.G. Inhibition of spontaneous but not antibody-dependent cell-mediated cytotoxicity by simple sugars: evidence that endogenous lectins may mediate spontaneous cell-mediated cytotoxicity, 143
MCINTYRE J.A., HSI B., PAGE FAULK W., KLOPPER A. & THOMSON ROBYN. Immunological studies of the human placenta: functional and morphological analysis of pregnancy-associated protein plasma A (PAPP-A), 577
MCPHADEN A., LAPPIN D. & WHALEY K. Enhancement of monocyte complement component synthesis by antigen–antibody complexes, 193
MACRAE SUSANNAH, *see* GORCZYNSKI R.M.
MACSWEEN J.M., *see* FERNANDEZ L.A.
MAGNUS E., *see* VERVOORT T.
MAGRO A.M. Histamine release from fawn-hooded rat mast cells is not potentiated by phosphatidylserine, 1
MAIR MARGARET G., *see* WATERFIELD J.D.
MAK N.K., *see* LEUNG K.N.
MALLEY A., *see* BRANDT C. JEANNE.
MASON D.W., PUGH C.W. & WEBB M. The rat mixed lymphocyte reaction: roles of a dendritic cell in intestinal lymph and T-cell subsets defined by monoclonal antibodies, 75
MASSONI R.J., *see* AREND W.P.
MATERA LINA, POTTER M.R. & MOORE M. Proliferative response of lymphocyte subpopulations differing in avidity for sheep red blood cells after stimulation with normal allogeneic and tumour cells, 765
MATTHEWS N. Production of an anti-tumour cytotoxin by human monocytes, 135
MIAKE S., *see* MIYATA H.
MICHAEL A.F., *see* COSIO F.G.
MILLER H.R.P., HUNTLEY J.F. & WALLACE G.R. Immune exclusion and mucus trapping during the rapid expulsion of *Nippostrongylus brasiliensis* from primed rats, 419
MILLER H.R.P., *see* NAWA Y.
MILLERIOUX L., *see* DUCHANGE N.
MILTON J.D. The effect of ultraviolet irradiation on the localization of syngeneic and allogeneic lymphoid cells and on alloimmunogenicity, 281
MITSUHASHI S., *see* KODAMA K.
MIYATA H., HIMENO K., MIAKE S. & NOMOTO K. Alterations of host resistance to *Listeria monocytogenes* in tumour-bearing mice and effect of *Corynebacterium parvum*, 305
MONTGOMERY P.C., *see* LALLY E.T.
MOODY C.E., INNES J.B., STAIANO-COICO L., INCEFY G.S., THALER H.T. & WEKSLER M.E. Lymphocyte transformation induced by autologous cells. XI. The effect of age on the autologous mixed lymphocyte reaction, 431
MOORE M., *see* MATERA LINA.
MORENO C., HALE CHRISTINE, HEWETT ROSEMARY & ESDAILE JANE. Induction and persistence of B-cell tolerance to the thymus-dependent component of the $\alpha(1\rightarrow6)$ glucosyl determinant of dextran. Recovery induced by treatment with dextranase *in vivo*, 517
MORIYA O., *see* KANKI T.
MORTON JANE I., WEYANT DEBRA A., SIEGEL B.V. & GOLDING B. Androgen sensitivity and autoimmune disease. I. In-

*fluence of sex and testosterone on the humoral immune response of autoimmune and non-autoimmune mouse strains to sheep erythrocytes, 661*
MPIMBAZA G., *see* VERVOORT T.
MUCHMORE A.V., *see* MACDERMOTT R.P.
MURCOCH WENDY, *see* CORNWELL III G.G.
MUSOKE A.J., *see* VERVOORT T.
NATVIG J.B., *see* CORNWELL III G.G.

NAWA Y., MILLER H.R.P., HALL ELIZABETH & JARRETT ELLEN E.E. Adoptive transfer of total and parasite-specific IgE responses in rats infected with *Nippostrongylus brasiliensis*, 119
NIXON D.F., *see* WATERFIELD J.D.
NOMOTO K., *see* MIYATA H.

OSMOND D.G., *see* RAHAL M.D.

PABST R. & BINNS R.M. *In vivo* labelling of the spleen and mesenteric lymph nodes with fluorescein isothiocyanate for lymphocyte migration studies, 323
PABST R., *see* BINNS R.M.
PAGE FAULK W., *see* MCINTYRE J.A.
PARROTT DELPHINE M.V., *see* DAVIES M.D.J.
PINDER MARGARET, KAR S., WITHEY KATHLEEN S., LUNDIN LENA B. & ROELANTS G.E. Proliferation and lymphocyte stimulatory capacity of *Theileria*-infected lymphoblastoid cells before and after the elimination of intracellular parasites, 51
POTTER M.R., *see* MATERA LINA.
PRICHARD-THOMAS SARAH, *see* WILSON ANNE B.
PUGH C.W., *see* MASON D.W.
PUTT N., *see* LIM T.S.

RABILLON J., *see* LE MAO J.
RAHAL M.D. & OSMOND D.G. Maturation of bone marrow lymphocytes. IV. Kinetics of maturation and renewal of lymphocytes expressing Ia and H-2K antigens, 463
REVIRON J., *see* EDELMAN LENA.
RICHES D.W.H. & STANWORTH D.R. Studies on the possible involvement of complement component C3 in the initiation of acid hydrolase secretion by macrophages. I. *Correlation between enzyme releasing and complement* activating capacities of several secretagogues, 29
RICHTER M., BANERJEE D. & SKLAR S. The antibody-independent cytotoxic activity of normal circulating human leucocytes. II. Failure to demonstrate effector cell–target cell interaction and target cell specificity of the circulating cytotoxic-enhancing factor, 109
RICHTER M., *see* BANERJEE D.
RITTER M.A., SAUVAGE C.A. & COTMORE S.F. The human thymus microenvironment: *in vivo* identification of thymic nurse cells and other antigenically-distinct subpopulations of epithelial cells, 436
ROCHE J.K., COOK S.R. & DAY E.D. Cellular cytotoxicity and gastrointestinal inflammation in inbred rats: induction with gut organ-specific antigens, 489
ROCHE J.K., COOKE S.L. & DAY E.D. Goblet cell glycoprotein: an organ-specific antigen for gut, 799
ROOK G.A.W., *see* BAHR G.M.
ROELANTS G.E., *see* PINDER MARGARET.
ROSENSTEIN YVONNE, KRETSCHMER R.R. & LAFARGE-FRAYSSIN ET. Effect of *Fusarium* toxins, T2-toxin and diacetoxyscirpenol on murine T-independent immune responses, 555
ROUGER PH., *see* EDELMAN LENA.
ROUSE B.T., *see* SCHMID D.S.
RUBIO N. Characterization of the bone marrow cell population expressing an AKR murine leukaemia-virus gp71-like antigen, 339
RUDDY S., *see* CARLO J.R.
RUIZ-ARGUELLES A., LLORENTE L., DIAZ-JOUANEN E. & ALARCON-SEGOVIA D. Optimal conditions in [$^3$H]-thymidine uptake studies to prevent radiation damage to cells. A scintimetric and cytofluorographic analysis, 811
RUSSELL P.H. Augmentation of the antibody forming cell response to neuraminidase-treated cells by myxoviruses, 781

SAFRANSKI D., *see* LIM T.S.
SALMON CH., *see* EDELMAN LENA.
SANDERSON A.R. & WARD P.J. Epitope sites on human $\beta_2$-microglobulin identified by xenogeneic polyclonal and monoclonal antisera, 169
SÁNDOR M., *see* KAVAI MARIA.
SAUVAGE C.A., *see* RITTER M.A.
SCHEPER R.J., *see* VAN DEN BERG W.B.
SCHMID D.S., LARSEN H.S. & ROUSE B.T. The role of accessory cells and T cell-growth factor in induction of cytotoxic T lymphocytes against herpes simplex virus antigens, 755
SCHMITZ MARION G.J., *see* VAN HOUTE A.J.
SCOTT M.T. Delayed hypersensitivity to *Trypanosoma cruzi* in mice: specific suppressor cells in chronic infection, 409
SHELDON DIANNE, *see* TAYLOR W.A.
SHELLAM G.R., *see* FLEXMAN J.P.
SHIBUYA T., *see* KODAMA K.
SIEGEL B.V., *see* MORTON JANE I.
SINCLAIR K., *see* ALLANSMITH M.R.
SKLAR S., *see* BANERJEE D.
SKLAR S., *see* RICHTER M.
SMINIA P., *see* VAN DEN BERG W.B.
SMITH M.E., *see* DRAYSON M.T.
SMITH M., *see* STAINES N.A.
SMITH R.J., BOWMAN BARBARA J. & IDEN SUSAN S. Effects of trifluoperazine on human neutrophil function, 677
SNIPPE H., *see* VAN HOUTE A.J.
SPICER J.W., *see* TAYLOR W.A.
SPINA G., *see* COCCHIARA ROBERTA.
SPITZ M., *see* FOSSATI C.A.
SPITZNAGEL J.K., *see* CARLO J.R.
STAIANO-COICO L., *see* MOODY C.E.
STAINES N.A., HARDINGHAM T., SMITH M. & HENDERSON B. Collagen-induced arthritis in the rat: modification of immune and arthritic responses by free collagen and immune anti-collagen antiserum, 737
STANCAMPIANO ROSA, *see* COCCHIARA ROBERTA.
STANFORD J.L., *see* BAHR G.M.
STANWORTH D.R., *see* RICHES D.W.H.
STARK J.M., *see* HEATLEY R.V.
STEWART J., *see* GLASS ELIZABETH.
STIMSON W.H. & CRILLY P.J. Effects of steroids on the secretion of immunoregulatory factors by thymic epithelial cell cultures, 401

SZEGEDI GY., *see* KÁVAI MARIA.

TAYLOR W.A., SHELDON DIANNE & SPICER J.W. Adjuvant and suppressive effects of Grass Conjuvac® and other alginate conjugates on IgG and IgE antibody responses in mice, 41

TEODORESCU M., *see* CHANG J.-L.

TERUKINA SHIGEKAZU & ARAI SUMIO. Activation of human T and non-T lymphocytes by Sepharose-bound concanavalin A and the differential effect of macrophages, 215

*THALER H.T., see MOODY C.E.*

THOMSON ROBYN, *see* MCINTYRE J.A.

TUNGE G.E., KUAN T.K., LITMAN G.W. & WANG A.C. Three monoclonal immunoglobulins, an IgG2(κ), an IgM(κ) and an IgM/A hybrid, in one patient. I. Isolation and characterization, 257

TUNG E., *see* KUAN T.K.

VAILLIER D. & VAILLIER J. Opposing changes in electrokinetic potential in spleen cells induced by factors from *different tumour supernatants*, 67

VAILLIER J., *see* VAILLIER D.

VAN BEUSEKOM H.J., VAN DE PUTTE L.B.A., VAN DEN BERG W.B., VAN DEN BROEK W.J.M. & BUIJS W.C.A.M. Antigen handling in antigen-induced joint inflammation: kinetics of a second intra-articularly injected dose of antigen in an already established antigen-induced joint inflammation, 153

*VAN DE PUTTE L.B.A., see VAN BEUSEKOM H.J.*

VAN DEN BERG W.B., VAN TUYL J., SMINIA P., JENTJENS THEA M.J. & SCHEPTER R.J. Lymphokine-mediated stimulation of eosinophil migration in the guinea-pig, 481

VAN DEN BERG W.B., *see* VAN BEUSEKOM H.J.

*VAN DEN BROEK W.J.M., see VAN BEUSEKOM H.J.*

VAN HOUTE A.J., SNIPPE H., SCHMITZ MARION G.J. & WILLERS J.M.N. Characterization of immunogenic properties of haptenated liposomal model membranes in mice. V. Effect of membrane composition on humoral and cellular immunogenicity, 561

VAN MEIRVENNE N., *see* VERVOORT T.

VAN TUYL J., *see* VAN DEN BERG.

*VAN WAUWE J., GOOSSENS J., DECOCK W., KUNG P. & GOLDSTEIN G. Suppression of human T-cell mitogenesis* and E-rosette formation by the monoclonal antibody OKT11A, 865

VERVOORT T., BARBET A.F., MUSOKE A.J., MAGNUS E., MPIMBAZA G. & VAN MEIRVENNE N. Isotypic surface glycoproteins of trypanosomes, 223

VIKSLER V. KH., *see* LAVROVSKY V.A.

VOISIN G.A., *see* CHAOUAT G.

WEIR D.M., *see* GLASS ELIZABETH.

WALFORD R.L., *see* GOTTESMAN SUSAN R.S.

WALLACE G.R., *see* MILLER H.R.P.

WANG A.C., *see* KUAN T.K.

*WANG A.C., see TUNG E.*

WANG I.Y., *see* KUAN T.K.

WARD P.J., *see* SANDERSON A.R.

WATERFIELD J.D., NIXON D.F. & MAIR MARGARET G. Lymphocyte-mediated cytotoxicity against allogeneic tumour cells. IV. Fine specificity mapping and characterization of concanavalin A-activated cytotoxic effector lymphocytes, 685

WATSON R.R., *see* LIM T.S.

WEBB M., *see* MASON D.W.

WEKSLER M.E., *see* MOODY C.E.

WESTERMARK P., *see* CORNWELL *III* G.G.

WEYANT DEBRA A., *see* MORTON JANE I.

WHALEY K., *see* MCPHADEN A.

WILLERS J.M.N., *see* VAN HOUTE A.J.

WILLIAMS A.J. & COLE P.J. Polymorphonuclear leucocyte *membrane-stimulated oxidative metabolic activity—the* effect of divalent cations and cytochalasins, 847.

WILSON ANNE B., PRICHARD-THOMAS SARAH & COOMBS R.R.A. Evidence that the fourth component of complement (C4) is carried on a high proportion of normal *guinea-pig B lymphocytes*, 453

WING E.J. Bacillus Calmette-Guérin (BCG) decreases resistance to *Listeria monocytogenes* infection in mice, 509

WITHEY KATHLEEN S., *see* PINDER MARGARET.

WOO PATRICIA & LACHMANN P.J. The detection and characterization of a membrane protein with Factor B-like activity on human lymphoid cells, 629

*YOSHIDA T., see KODAMA K.*

# Subject Index


Accessory cells, role of, and T cell-growth factor in induction of cytotoxic T lymphocytes against herpes simplex virus antigens, 755

Acyl chain length, role of, and degree of saturation. Adjuvant activity of fatty acid esters, 185

Age, effect of, on autologous mixed lymphocyte reaction. Lymphocyte transformation induced by autologous cells. XI, 431

Ageing mice, proliferative and cytotoxic immune functions in. I. Sequence of decline of reactivities measured under optimal and suboptimal sensitization conditions, 481

Air–blood barrier of isolated perfused rabbit lungs, effect of IgG and IgG fragments on absorption of inhaled antigens across, 331

Allergens, antigens and, in *Dermatophagöides farinae* mite. I. Immunochemical and physicochemical study of two allergenic fractions from a partially-purified *Dermatophagöides farinae* mite extract, 239

Allogeneic tumour cells, lymphocyte-mediated cytotoxicity against. IV. Fine specificity mapping and characterization of concanavalin A-activated cytotoxic effector lymphocytes, 685

Allogeneic and tumour cells, proliferative response of lymphocyte subpopulations differing in avidity for sheep red blood cells after stimulation with normal, 765

Alloimmunogenicity, effect of ultraviolet irradiation on localization of syngeneic and allogeneic lymphoid cells and on, 281

Amyloid, senile cardiac: evidence that fibrils contain a protein immunologically related to prealbumin, 447

Anaphylaxis inhibition, passive cutaneous: evidence for heterogeneity in IgE mast cell interaction, 711

Androgen sensitivity and autoimmune disease. I. Influence of sex and testosterone on the humoral immune response of autoimmune and non-autoimmune mouse strains to sheep erythrocytes, 661

Antibodies, monoclonal. The rat mixed lymphocyte reaction: roles of a dendritic cell in intestinal lymph and T-cell subsets defined by, 75

Antibody-dependent cell-mediated cytotoxicity, inhibition of spontaneous but not, by simple sugars: evidence that endogenous lectins may mediate spontaneous cell-mediated cytotoxicity, 143

Antibody forming cell response to neuraminidase-treated cells by myxoviruses, augmentation of, 781

Antibody-independent cytotoxic activity of normal circulating human leucocytes. I. Lysis of target cells by monocytes and neutrophils in a non-phagocytic pathway, 97

Antibody-independent cytotoxic activity of normal circulating human leucocytes. II. Failure to demonstrate effector cell–target interaction and target cell specificity of the circulating cytotoxic-enhancing factor, 109

Antibody, monoclonal, to human blood group A, thermodynamic and immunological properties of a, 549

Antibody OK11A. suppression of human T-cell mitogenesis and E-rosette formation by the monoclonal, 865

Antibody responses, systemic, to intestinal antigen, effects of surgical removal of Peyer's patches in the rat on, 543

Antigen, AKR murine leukaemia virus gp71-like, characterization of bone marrow cell population expressing an, 339

Antigen–antibody complexes, enhancement of monocyte complement component synthesis by, 193

Antigen B-specific helper factor from timothy grass pollen: isolation and partial characterization, 373

Antigen for gut, goblet cell glycoprotein: an organ-specific, 799

Antigen IgG2 antibody complexes, preferential priming of IgG1 B memory cells by immunization with. The generation of memory cells. V, 163

Antigen-induced joint inflammation, antigen-handling in: kinetics of a second intra-articularly injected dose of antigen in an already established antigen-induced joint inflammation, 153

Antigen, intestinal, effects of surgical removal of Peyer's patches in the rat on systemic antibody responses to, 543

Antigen, ocular anaphylaxis: induction by local injection of, 499

Antigens, absorption of inhaled, across air–blood barrier of isolated perfused rabbit lungs, effect of IgG and IgG fragments on, 331

Antigens and allergens in *Dermatophagöides farinae* mite. I. Immunochemical and physicochemical study of two allergenic fractions from a partially-purified *Dermatophagöides farinae* mite extract, 239

Autologous cells, lymphocyte transformation induced by. XI. Effect of age on autologous mixed lymphocyte, reaction, 431

Antigens, gut organ-specific, cellular cytotoxicity and gastrointestinal inflammation in inbred rats: induction with, 489

Antigens, herpes simplex virus, role of accessory cells and T cell-growth factor in induction of cytotoxic T lymphocytes against, 755

Antigens, Ia and H-2K, IV. Kinetics of maturation and renewal of lymphocytes expressing. Maturation of bone marrow lymphocytes, 463

Antigens, Ia, Thy 1 and MRC OX 2, different reticular elements in rat lymphoid tissue identified by localization of, 727

Antigens, mycobacterial or fungal, inhibition of proliferative response of peripheral blood lymphocytes to, by co-stimulation with antigens from various mycobacterial species, 593

Antigens, mycobacterial, effect of delayed addition of antigen and E rosetting on proliferative response to, of peripheral blood lymphocytes from normal individuals or from patients with tuberculosis or leprosy, 585

Antigens, trypanosomal, lymphoproliferative responses to, during acute and chronic experimental Chagas' disease. On evasion of *Trypanosoma cruzi* from the host immune response, 641

Arthritis, collagen-induced, in the rat: modification of im-

mune and arthritic responses by collagen and immune anti-collagen antiserum, 737
Autoimmune disease, androgen sensitivity and. I. Influence of sex and testosterone on the humoral immune response of autoimmune and non-autoimmune mouse strains to sheep erythrocytes, 661
Autologous mixed lymphocyte reaction in rats: effect of xenogeneic serum protein, factors influencing, 499

B-cell tolerance, induction and persistence of, to thymus-dependent component of α (1→6) glucosyl determinant of dextran. Recovery induced by treatment with dextranase *in vivo*, 517
B cells, memory, role of T cells in development of. Quantitative and quantitative analysis, 177
B lymphocytes, $\alpha_2$-macroglobulin associated factor produced by T lymphocytes which provides polyclonal stimulation of, to maintain the turnover of their surface Ig, 745
B lymphocytes, normal guinea-pig, evidence that the fourth component of complement (C4) is carried on a high proportion of, 453
$\beta_2$-microglobulin, human, epitope sites on, identified by xenogeneic polyclonal and monoclonal antisera, 169
Bacillus Calmette-Guérin (BCG) decreases resistance to *Listeria monocytogenes* infection in mice, 509
Blood flow, sequence of changes in, and lymphocyte influx to stimulated rat lymph nodes, 125
Blood group A, human, thermodynamic and immunological properties of a monoclonal antibody to, 549
Bone marrow cell population, characterization of, expressing an AKR murine leukaemia-virus gp71-like antigen, 339

C3 receptor-dependent phagocytosis by human monocytes, effect of soluble immune complexes on Fc and, 599
C3 receptor expression in human monocytes, effect of complement in adherent immune complexes on Fc and, 717
C3bi, cleavage of membrane bound, an intermediate of the third component of complement, to C3c- and C3d-like fragments by crude leucocyte lysosomal lysates and purified leucocyte elastase, 381
C3H mice, enhanced immune reactivity to hepatoma 22a cells in MTV-infected compared with MTV-free, 671
(C4) is carried on a high proportion of normal guinea-pig B lymphocytes, evidence that the fourth component of complement, 453
$Ca^{2+}$-dependent chemiluminescence in rat polymorphonuclear leucocytes by polystyrene beads and non-lytic action of complement, stimulation of, 569
Cardiac amyloid, senile: evidence that fibrils contain a protein immunologically related to prealbumin, 477
Cations and cytochalasins, divalent, polymorphonuclear leucocyte membrane-stimulated oxidative metabolic activity—the effect of, 859
Cellular activation and related metabolic events, expression of transferrin receptors on mitogen-stimulated human peripheral blood lymphocytes, 703
Cellular cytotoxicity and gastrointestinal inflammation in inbred rats: induction with gut organ-specific antigens, 489
Chagas' disease, lymphoproliferative responses to trypanosomal antigens during acute and chronic experimental. On evasion of *Trypanosoma cruzi* from the host immune response, 641
Clonability, enhanced, of human T lymphocytes caused by their culturing *in vitro*, 617
Collagen-induced arthritis in the rat: modification of immune and arthritic responses by free collagen and immune anti-collagen antiserum, 737
Complement component C3, studies on possible involvement of, in initiation of acid hydrolase secretion by macrophages. I. Correlation between enzyme-releasing and complement-activating capacities of several secretagogues, 29
Complement component synthesis, enhancement of monocyte, by antigen–antibody complexes, 193
Complement, effect of, in adherent immune complexes on Fc and C3 receptor expression in human monocytes, 717
Complement, non-lytic action of, stimulation of $Ca^{2+}$-dependent chemiluminescencein rat polymorphonuclear leucocytes by polystyrene beads and, 569
Complement, third component of, cleavage of membrane bound C3bi, an intermediate of the, to C3c- and C3d-like fragments by crude leucocyte lysosomal lysates and purified leucocyte elastase, 381
Concanavalin A-activated cytotoxic effector lymphocytes. Lymphocyte-mediated cytotoxicity against allogeneic tumour cells. IV. Fine specificity mapping and characterization of, 685
Concanavalin A, Sepharose-bound, activation of human T and non-T lymphocytes by, and the differential effect of macrophages, 215
Co-operative cellular interactions in generation of adoptively-transferred murine IgA responses, 695
*Corynebacterium parvum*, alterations of host resistance to *Listeria monocytogenes* in tumour-bearing mice and effect of, 305
Cyclophosphamide, the influence of, and 6-mercaptopurine on the IgG1 and IgG2 immune response in guinea-pigs, 61
Cytochalasins, effect of divalent cations and, polymorphonuclear leucocyte membrane-stimulated oxidative metabolic activity—, 859
Cytotoxic-enhancing factor, circulating. The antibody-independent cytotoxic activity of normal circulating human leucocytes. II. Failure to demonstrate effector cell–target cell interaction and target cell specificity of, 109
Cytotoxic T lymphocytes, role of accessory cells and T cell-growth factor in induction of, against herpes simplex virus antigens, 755
Cytotoxicity, lymphocyte-mediated, against allogeneic tumour cells. IV. Fine specificity mapping and characterization of concanavalin A-activated cytotoxic effector lymphocytes, 685
Cytotoxicity, natural killer-cell, mechanism of stimulation of, by interferon and an interferon-inducer in the rat, 311
Cytotoxin, anti-tumour, production of an, by human monocytes, 135

Delayed addition of antigen and E rosetting on the proliferative response to mycobacterial antigens of peripheral blood lymphocytes from normal individuals or from patients with tuberculosis or leprosy, effects of, 585
Delayed hypersensitivity to *Trypanosoma cruzi* in mice: specific suppressor cells in chronic infection, 409

Delayed-type hypersensitivity and acquired resistance to plague in mice immunized with killed *Yersinia pestis* and immunoregulators, 297
Delayed-type hypersensitivity response to influenza virus in mice. The inductive requirements for primary *in vitro* generation of, 17
Dendritic cell, roles of a, in intestinal lymph and T-cell subsets defined by monoclonal antibodies. The rat mixed lymphocyte reaction, 75
*Dermatophagoïdes farinae* mite, antigens and allergens in. I. Immunochemical and physicochemical study of two allergenic fractions from a partially-purified *Dermatophagoïdes farinae* mite extract, 239
Dextranase *in vivo*, recovery induced by treatment with. Induction and persistence of B-cell tolerance to the thymus-dependent component of α (1→6) glucosyl determinant of dextran, 517
Diacetoxyscirpenol, effect of *Fusarium* toxins, T2-toxins and, on murine T-independent immune responses, 555
Diffusible products, participation of, in the *in vivo* immune primary response to red blood cells, 11

Electrokinetic potential of spleen cells, opposing changes in, induced by factors from different tumour supernatants, 67
Eosinophil migration in the guinea-pig, lymphokine-mediated stimulation of, 481
Epithelial cell cultures, effects of steroids on secretion of immunoregulatory factors by thymic, 401
Epithelial cells, antigenically-distinct subpopulations of. The human thymus microenvironment: *in vivo* identification of thymic nurse cells and other, 436
Epithelial, small intestine, lamina propria and lung lymphocytes, cytotoxic T cells in, 367
Epitope site on human $\beta_2$-microglobulin identified by xenogeneic polyclonal and monoclonal antisera, 169

Fabδ and Fcδ determinants, study of proteolytic removal of, of lymphocyte membrane IgD using a direct rosette assay, 89
Factor B-like activity on human lymphoid cells, detection and characterization of a membrane protein with, 629
Fatty acid esters, adjuvant activity of. The role of acyl chain length and degree of saturation, 187
Fc and C3 receptor-dependent phagocytosis by human monocytes, effect of soluble immune complexes on, 599
Fc and C3 receptor expression in human monocytes, effect of complement in adherent immune complexes on, 717
Fcδ determinants, study of proteolytic removal of Fabδ of lymphocyte membrane IgD using a direct rosette assay, 89
Fibrils contain a protein immunologically related to prealbumin, Senile cardiac amyloid: evidence that, 447
Fluorescein isothiocyanate, *in vivo* labelling of the spleen and mesenteric lymph nodes with, for lymphocyte migration studies, 321
*Fusarium* toxins, T2-toxin and diacetoxyscirpenol on murine T-independent immune responses, effect of, 555

Gastrointestinal inflammation in inbred rats: induction with gut organ-specific antigens, cellular cytotoxicity and, 489
Glycoprotein, goblet cell: an organ-specific antigen for gut, 799
Glycoproteins, isotypic surface, of trypanosomes, 223
Glucosyl determinant of dextran, induction and persistence with B-cell tolerance to thymus-dependent component of α (1→6). Recovery induced by treatment with Dextranase *in vivo*, 517
Goblet cell glycoprotein: an organ-specific antigen for gut, 799
Grass Conjuvac®, adjuvant and suppressive effects of, and other alginate conjugates on IgG and IgE antibody responses in mice, 41

H-2K antigens, IV. Kinetics of maturation and renewal of lymphocytes expressing Ia and. Maturation of bone marrow lymphocytes, 463
[$^3$H]-thymidine uptake studies to prevent radiation damage to cells. A scintimetric and cytofluorographic analysis. Optimal conditions in, 811
Helper factor, antigen B-specific, from timothy grass pollen: isolation and partial characterization, 373
Hepatoma 22a cells, enhanced immune reactivity to, in MTV-infected compared with MTV-free C3H mice, 561
Herpes simplex virus antigens, role of accessory cells and T cell-growth factor in induction of cytotoxic T lymphocytes against, 755
Heterogeneity in IgE mast cell interaction, passive cutaneous anaphylaxis inhibition: evidence for, 711
Histamine release from fawn-hooded rat mast cells is not potentiated by phosphatidylserine, 1
Host immune response, on evasion of *Trypanosoma cruzi* from. Lymphoproliferative responses to trypanosomal antigens during acute and chronic experimental Chagas' disease, 641
Humoral immune response of autoimmune and non-autoimmune mouse strains to sheep erythrocytes. Androgen sensitivity and autoimmune disease. I. Influence of sex and testosterone on, 661
Humoral response of a highly-purified spleen-derived immunosuppressive peptide (SDIP), further study on, 249

Ia and H-2K antigens, IV. Kinetics of maturation and renewal of lymphocytes expressing. Maturation of bone marrow lymphocytes, 463
Ia, Thy 1 and MRC OX 2 antigens, different reticular elements in rat lymphoid tissue identified by localization of, 727
Ig, surface, $\alpha_2$-macroglobulin associated factor produced by T lymphocytes which provides polyclonal stimulation of B lymphocytes to maintain the turnover of their surface Ig, 745
IgA responses, co-operative cellular interactions in generation of adoptively-transferred murine, 695
IgD, lymphocyte membrane, study of proteolytic removal of Fabδ and Fcδ determinants of, using a direct rosette assay, 89
IgE antibody responses in mice, adjuvant and suppressive effects of Grass Conjuvac® and other alginate conjugates on IgG and, 41
IgE mast cell interaction, passive cutaneous anaphylaxis inhibition: evidence for heterogeneity in, 711
IgE receptors on dispersed human lung mast cells, number and affinity of, 859
IgE responses, total and parasite-specific, adoptive transfer of, in rats infected with *Nippostrongylus brasiliensis*, 119

IgG and IgE antibody responses in mice, adjuvant and suppressive effects of Grass conjuvac® and other alginate conjugates on, 41
IgG and IgG fragments, effect of, on absorption of inhaled antigens across air–blood barrier of isolated perfused rabbit lungs, 331
IgG1 and IgG2 immune response in guinea-pigs, influence of cyclophosphamide and 6-mercaptopurine on, 61
IgG1 B memory cells, preferential priming of, by immunization with antigen IgG2 antibody complexes. The generation of memory cells. V, 163
IgG2(κ), an, an IgM(κ) and an IgM/A hybrid, three monoclonal immunoglobulins, in one patient. I. Isolation and characterization, 257
IgG2(κ), an IgM(κ) and an IgM/A hybrid, three monoclonal immunoglobulins, in one patient. II. Sharing of common variable regions, 265
IgM memory, induction of, with RNA from spleens of immunized mice, 535
IgM(κ) and an IgM/A hybrid, in one patient. I. Isolation and characterization. Three monoclonal immunoglobulins, an IgG2(κ), 257
IgM(κ) and an IgM/A hybrid, in one patient. II. Sharing of common variable regions. Three monoclonal immunoglobulins, an IgG2 (κ),265
IgM/A hybrid, three monoclonal immunoglobulins, an IgG2(κ), an IgM(κ) and, in one patient. I. Isolation and characterization, 257
IgM/A hybrid, three monoclonal immunoglobulins, an IgG2(κ), an IgM(κ) and, in one patient. II. Sharing of common variable regions, 265
Immune and arthritic responses by free collagen and immune anti-collagen antiserum, collagen-induced arthritis in the rat: modification of, 737
Immune complexes, adherent, effect of complement in, on Fc and C3 receptor expression in human monocytes, 717
Immune complexes, circulating, in patients with usual interstitial pulmonary fibrosis: partial characterization and relationship with *Thermoactinomyces vulgaris*, 817
Immune complexes, effect of soluble, on Fc and C3 receptor-dependent phagocytosis by human monocytes, 599
Immune complexes, soluble, binding to human monocytes and polymorphonuclear leucocytes, 773
Immune exclusion and mucus trapping during rapid expulsion of *Nippostrongylus brasiliensis* from primed rats, 419
Immune functions, proliferative and cytotoxic, in ageing mice. I. Sequence of decline of reactivities measured under optimal and suboptimal sensitization conditions, 607
Immune primary response, *in vivo*, to red blood cells, participation of diffusible products in the, 11
Immune responses, cell-mediated, and serum corticosterone in young and maturing mice, effect of vitamin E on, 289
Immunogenicity, humoral and cellular. Characterization of immunogenic properties of haptenated lipsomal model membranes in mice. V. Effect of membrane composition on, 561
Immunoglobulin G polypeptides, cell-free translation of, by chicken bursal RNA, 233
Immunological memory to *Listeria monocytogenes* in rodents. IV. Studies on origin and fate of tissue-positioned T memory cells, 789
Immunoregulatory factors, secretion of, by thymic epithelial cell cultures, effects of steroids on, 401
Inhibition of proliferative response of peripheral blood lymphocytes to mycobacterial of fungal antigens by co-stimulation with antigens from various mycobacterial species, 593
Influenza virus in mice. The inductive requirements for primary *in vitro* generation of delayed-type hypersensitivity response to, 17
Interferon and an interferon-inducer in the rat, mechanism of stimulation of natural killer-cell cytotoxicity by, 311

Kinetics of a second intra-articularly injected dose of antigen in an already established antigen-induced joint inflammation. Antigen handling in antigen-induced joint inflammation, 153

Lamina propria and lung lymphocytes, cytotoxic T cells in small intestine epithelial, 367
Lectins, endogenous, evidence that, may mediate spontaneous cell-mediated cytotoxicity. Inhibition of spontaneous but not antibody-dependent cell-mediated cytotoxicity by simple sugars, 143
Leucocyte elastase, purified, cleavage of membrane bound C3bi, an intermediate of the third component of complement, to C3c- and C3d-like fragments by crude leucocyte lysosomal lysates and, 381
Leucocyte lysosomal lysates, crude, and purified leucocyte elastase, cleavage of membrane bound C3bi, an intermediate of the third component of complement, to C3c- and C3d-like fragments by, 381
Leucocytes, normal circulating human, the antibody-independent cytotoxic activity of. I. Lysis of target cells by monocytes and neutrophils in a non-phagocytic pathway, 97
Leucocytes, normal circulating human, antibody-independent cytotoxic activity of. II. Failure to demonstrate effector cell–target cell interaction and target cell specificity of the circulating cytotoxic-enhancing factor, 109
Leucocytes, polymorphonuclear, soluble immune complexes binding to human monocytes and, 773
Leucocytes, stimulation of $Ca^{2+}$-dependent chemiluminescence in rat polymorphonuclear, by polystyrene beads and non-lytic action of complement, 569
Leukaemia-virus gp71-like antigen, an AKR murine, characterization of bone marrow cell population, expressing, 339
Liposomal model membranes in mice. V. Effect of membrane composition on humoral and cellular immunogenicity. Characterization of immunogenic properties of haptenated, 561
*Listeria monocytogenes* infection in mice, Bacillus Calmette-Guérin (BCG) decreases resistance to, 509
*Listeria monocytogenes* in rodents. IV. Studies on origin and fate of tissue-positioned T memory cells. Immunological memory to, 789
*Listeria monocytogenes* in tumour-bearing mice, alterations of host resistance to, and effect of *Corynebacterium parvum*, 305
Localization of syngeneic and allogeneic lymphoid cells and on alloimmunogenicity, effect of ultraviolet irradiation on, 281
Lungs, isolated perfused rabbit, effect of IgG and IgG

fragments on absorption of inhaled antigens across air–blood barrier of, 331
Lymph, intestinal and T-cell subsets defined by monoclonal antibodies, the rat mixed lymphocyte reaction: roles of a dendritic cell in, 75
Lymph nodes, mesenteric, *in vivo* labelling of the spleen and, with fluorescein isothiocyanate for lymphocyte migration studies, 321
Lymph nodes, stimulated rat, sequence of changes in blood flow and lymphocyte influx to, 125
Lymphoblastoid cells, *Theileria*-infected, proliferation and lymphocyte stimulatory capacity of, before and after the elimination of intracellular parasites, 51
Lymphocyte influx, sequence of changes in blood flow and, to stimulated rat lymph nodes, 125
Lymphocyte membrane IgD, study of proteolytic removal of Fab$\delta$ and Fc$\delta$ determinants of, using a direct rosette assay, 89
Lymphocyte migration studies, *in vivo* labelling of the spleen and mesenteric lymph nodes with fluorescein isothiocyanate for, 321
Lymphocyte reaction, autologous mixed, in rats: effect of xenogeneic serum protein, factors influencing, 499
Lymphocyte reaction, autologous mixed, suppressive effects of monocytes in, 653
Lymphocyte reaction, rat mixed: roles of a dendritic cell in intestinal lymph and T-cell subsets defined by monoclonal antibodies, 75
Lymphocyte stimulatory capacity, proliferation and, of *Theileria*-infected lymphoblastoid cells before and after the elimination of intracellular parasites, 51
Lymphocyte subpopulations, proliferative response of, differing in avidity for sheep red blood cells after stimulation with normal allogeneic and tumour cells, 765
Lymphocyte transformation induced by autologous cells. XI. Effect of age on autologous mixed lymphycyte reaction, 431
Lymphocytes, bone marrow, maturation of. IV. Kinetics of maturation and renewal of lymphocytes expressing Ia and H-2K antigens, 463
Lymphocytes, classification of, recirculating in the spleen, 273
Lymphocytes, concanavalin A-activated cytotoxic effector. Lymphocyte-mediated cytotoxicity against allogeneic tumour cells. IV. Fine specificity mapping and characterization of, 685
Lymphocytes, human T and non-T, activation of, by Sepharose-bound concanavalin A and the differential effect of macrophages, 213
Lymphocytes, mitogen-stimulated human peripheral blood: relation to cellular activation and related metabolic events, expression of transferrin receptors on, 703
Lymphocytes, lung, cytotoxic T cells in small intestine epithelial, lamina propria and, 367
Lymphoid cells, human, detection and characterization of a membrane protein with Factor B-like activity on, 641
Lymphoid cells, syngeneic and allogeneic, effect of ultraviolet irradiation on localization of, and on alloimmunogenicity, 281
Lymphoid tissue, different reticular elements in rat, identified by localization of Ia, Thy 1 and MRC OX 2 antigens, 727
Lymphokine-mediated stimulation of eosinophil migration in the guinea-pig, 481
Lymphoproliferative responses to trypanosomal antigens during acute and chronic experimental Chagas' disease. On evasion of *Trypanosoma cruzi* from the host immune response, 641
Lysis of target cells by monocytes are neutrophils in a non-phagocytic pathway. The antibody-independent cytotoxic activity of normal circulating human leucocytes. I, 97

Macroglobulin associated factor $\alpha_2$-, produced by T lymphocytes which provides polyclonal stimulation of B lymphocytes to maintain the turnover of the surface Ig, 745
Macrophages, differential effect of, activation of human T and non-T lymphocytes by Sepharose-bound concanavalin A and, 213
Macrophages, non-immunological recognition and killing of xenogeneic cells by. I. Repertoire of recognition, 347
Macrophages, non-immunological recognition and killing of xenogeneic cells by. II. Mechanism of killing, 357
Macrophages, studies on possible involvement of complement component C3 in initiation of acid hydrolase secretion by. I. Correlation between enzyme-releasing and complement-activating capacities of several secretagogues, 29
Mast cell interaction, IgE, passive cutaneous anaphylaxis inhibition: evidence for heterogeneity in, 711
Mast cells, fawn-hooded rat, histamine release from, is not potentiated by phosphatidylserine, 1
Mast cells, human lung, number and affinity of IgE receptors on dispersed, 859
Membrane protein with Factor B-like activity on human lymphoid cells, detection and characterization of a, 629
Memory B cells, role of T cells in development of. Quantitative and qualitative analysis, 177
Memory cells, generation of. V. Preferential priming of IgG1 B memory cells by immunization with antigen IgG2 antibody complexes, 163
6-mercaptopurine, influence of cyclophosphamide and, on the IgG1 and IgG2 immune response in guinea-pigs, 61
Metabolic activity, polymorphonuclear leucocyte membrane-stimulated oxidative—the effect of divalent cations and cytochalasins, 859
Microheterogeneity in regulatory circuits for T-cell alloresponsiveness, 727
Mitogen-stimulated human peripheral blood lymphocytes: relation to cellular activation and related metabolic events, expression of transferrin receptors on, 703
Mitogenesis, suppression of human T-cell, and E-rosette formation by the monoclonal antibody OKT11A, 865
Mixed lymphocyte reaction, autologous effect of age on. Lymphocyte transformation induced by autologous cells. XI, 431
MLR, comparison of early acting and late acting suppressor T cells in: evidence for involvement of differential T-cell subsets. Regulatory T cells in pregnancy. III, 393
Monoclonal antibody to human blood group A, thermodynamic and immunological properties of a, 549
Monoclonal antibody OKT11A, suppression of human T-cell mitogenesis and E-rosette formation by, 865
Monocyte complement component synthesis, enhancement of, by antigen–antibody complexes, 193

Monocytes, human, effect of complement in adherent immune complexes on Fc and C3 receptor expression in, 717
Monocytes, human, effect of soluble immune complexes on Fc and C3 receptor-dependent phagocytosis, by, 599
Monocytes, human, and polymorphonuclear leucocytes, soluble immune complexes binding to, 773
Monocytes, human, production of an anti-tumour cytotoxin by, 135
Monocytes and neutrophils, I. Lysis of target cells by, in a non-phagocytic pathway. The antibody-independent cytotoxic activity of normal circulating human leucocytes, 97
Monocytes, suppressive effects of, in autologous mixed lymphocyte reaction, 653
MRC OX2 antigens, different reticular elements in rat lymphoid tissue identified by localization of Ia, Thy 1, 727
MTV-infected compared with MTV-free C3H mice, enhanced immune reactivity to hepatoma 22a cells in, 671
Mycobacterial species, inhibition of proliferative response of peripheral blood lymphocytes to mycobacterial or fungal antigens by co-stimulation with antigens from various, 593
*Mycobacterium kansasii*-infected spleens, suppressor and helper T-cell populations in, 473
Myxoviruses, augmentation of antibody forming cell response to neuraminidase-treated cells by, 781

Natural killer-cell cytotoxicity, mechanism of stimulation of, by interferon and an interferon-inducer in the rat, 311
Neuraminidase-treated cells, augmentation of antibody forming cell response to, by myxoviruses, 781
Neutrophil function, effects of trifluoperazine on human, 677
Neutrophils, I. Lysis of target cells by monocytes and, in a non-phagocytic pathway. The antibody-independent cytotoxic activity of normal circulating human leucocytes, 97
*Nippostrongylus brasiliensis*, adoptive transfer of total and parasite-specific IgE responses in rats infected with *Nippostrongylus brasiliensis*, 119
*Nippostrongylus brasiliensis*, rapid expulsion of, from primed rats, immune exclusion and mucus trapping during, 419

Ocular anaphylaxis: induction by local injection of antigen, 499

Peripheral blood lymphocytes, inhibition of proliferative response of, to mycobacterial or fungal antigens by co-stimulation with antigens from various mycobacterial species, 593
Peripheral blood lymphocytes from normal individuals or from patients with tuberculosis or leprosy, effect of delayed addition of antigen and E rosetting on proliferative response to mycobacterial antigens, 585
Peyer's patches, effects of surgical removal of, in the rat on systemic antibody responses to intestinal antigen, 543
Phagocytes, presence of bacterial binding 'lectin-like' receptors on, 529
Phagocytosis, Fc and C3 receptor-dependent, by human monocytes, effect of soluble immune complexes on, 599
Phosphatidylserine, histamine release from fawn-hooded rat mast cells is not potentiated by, 1
Placenta, human, immunological studies of: functional analysis of pregnancy-associated protein plasma A (PAPP-A), 577
Plague in mice immunized with killed *Yersinia pestis* and immunoregulators, delayed-type hypersensitivity and acquired resistance to, 297
Polyclonal stimulation of B lymphocytes to maintain the turnover of their surface Ig, $\alpha_2$-macroglobulin associated factor produced by T lymphocytes which provides, 745
Polymorphonuclear leucocyte membrane-stimulated oxidative metabolic activity—the effect of divalent cations and cytochalasins, 859
Polymorphonuclear leucocytes, stimulation of $Ca^{2+}$-dependent chemiluminescence in rat, by polystyrene beads and non-lytic action of complement, 569
Prealbumin, senile cardiac amyloid: evidence that fibrils contain a protein immunologically related to, 447
Proliferative response of lymphocyte subpopulations differing in avidity for sheep red blood cells after stimulation with normal allogeneic and tumour cells, 765
Protein immunologically related to prealbumin, senile cardiac amyloid: evidence that fibrils contain a, 447
Protein plasma A (PAPP-A), pregnancy-associated. Immunological studies of the human placenta: functional and morphological analysis of, 577
Proteolytic removal, study of, of Fab$\delta$ and Fc$\delta$ determinants of lymphocyte membrane IgD using a direct rosette assay, 89
Pulmonary fibrosis, usual interstitial: partial characterization and relationship with *Thermoactinomyces vulgaris*, circulating immune complexes in patients with, 817

Radiation damage to cells, optimal conditions in [$^3$H]-thymidine uptake studies to. A scintimetric and cytofluorographic analysis, 811
Rapid expulsion of *Nippostrongylus brasiliensis* from primed rats, immune exclusion and mucus trapping during, 419
Receptors, bacterial binding 'lectin-like' on phagocytes, presence of, 529
Regulatory circuits for T-cell alloresponsiveness, microheterogeneity in, 827
Reticular elements, different, in rat lymphoid tissue identified by localization of Ia, Thy 1 and MRC OX 2 antigens, 727
RNA, chicken bursal, cell-free translation of immunoglobulin G polypeptides by, 233
RNA from spleens of immunized mice, induction of IgM memory with, 535

(SDIP), further study on the humoral response of a highly-purified spleen-derived immunosuppressive peptide, 249
Secretagogues, several, I. Correlation between enzyme-releasing and complement-activating capacities of. Studies on possible involvement of complement component C3 in initiation of acid hydrolase secretion by macrophages, 29
Serum corticosterone in young and maturing mice, effect of vitamin E on cell-mediated immune response and, 289
Sex and testosterone, influence of, on humoral immune response of autoimmune and non-autoimmune mouse strains to sheep erythrocytes. Androgen sensitivity and autoimmune disease. I, 661
Spleen cells, opposing changes in electrokinetic potential of, induced by factors from different tumour supernatants, 67
Spleen and mesenteric lymph nodes, *in vivo* labelling of with fluorescein isothiocyanate for lymphocyte migration studies, 321
Spontaneous cell-mediated cytotoxicity, evidence that endo-

genous lectins may mediate. Inhibition of spontaneous but not antibody-dependent cell-mediated cytotoxicity by simple sugars:, 143
Steroids, effects of, on secretion of immunoregulatory factors by thymic epithelial cell cultures, 401
Suppressive effects, adjuvant and, of Grass Conjuvac® and other alginate conjugates on IgG and IgE antibody responses in mice, 41
Suppressive effects of monocytes in autologous mixed lymphocyte reaction, 653
Suppression of human T-cell mitogenesis and E-rosette formation by the monoclonal antibody OKT11A, 865
Suppressor cells in chronic infection, delayed hypersensitivity to *Trypanosoma cruzi* in mice: specific, 409
Suppressor T cells in MLR: evidence for involvement of differential T-cell subsets. Regulatory T cells in pregnancy. III. Comparison of early acting and late acting, 393

T-cell alloresponsiveness, microheterogeneity in regulatory circuits for, 827
T cell-growth factor in induction of cytotoxic T lymphocytes against herpes simplex virus antigens, role of accessory cells and, 755
T-cell mitogenesis and E-rosette formation by the monoclonal antibody OKT11A, suppression of human, 865
T-cell populations, suppressor and helper, in *Mycobacterium kansasii*-infected spleens, 473
T-cell subsets defined by monoclonal antibodies, the rat mixed lymphocyte reaction: roles of a dendritic cell in intestinal lymph and, 75
T cells, cytotoxic, in small intestine epithelial lamina propria and lung lymphocytes, 367
T cells in development of memory B cells, role of. Quantitative and qualitative analysis, 177
T cells in pregnancy, regulatory. III. Comparison of early acting and late acting suppressor T cells in MLR: evidence for involvement of differential T-cell subsets, 393
*Theileria*-infected lymphoblastoid cells before and after the elimination of intracellular parasites, proliferation and lymphocyte stimulatory capacity of, 51
Thymic nurse cells and other antigenically-distinct subpopulations of epithelial cells. The human thymus microenvironment: *in vivo* identification of, 436
Thymus microenvironment, human: *in vivo* identification of thymic nurse cells and other antigenically-distinct subpopulations of epithelial cells, 436
Timothy grass pollen, antigen B-specific helper factor from: isolation and partial characterization, 373
T-independent immune responses, effect of *Fusarium* toxins, T2-toxin and diacetoxyscirpenol on murine, 555
T lymphocytes, $\alpha_2$-macroglobulin associated factor produced by, which provides polyclonal stimulation of B lymphocytes to maintain the turnover of their surface Ig, 745
T lymphocytes, enhanced clonability of human, caused by their culturing *in vitro*, 617
T lymphocytes, role of accessory cells and T cell-growth factor in induction of cytotoxic, against herpes simplex virus antigens, 755
T memory cells, tissue-positioned. Immunological memory to *Listeria monocytogenes* in rodents. IV. Studies on origin and fate of, 789
T2-toxin, effect of *Fusarium* toxins, and diacetoxyscirpenol on murine T-independent immune responses, 555
Target cell specificity of the circulating cytotoxic enhancing factor. The antibody-independent cytotoxic activity of normal circulating human leucocytes. II. Failure to demonstrate effector cell–target cell interaction and, 109
Testosterone, influence of sex and, on humoral immune response of autoimmune and non-autoimmune mouse strains to sheep erythrocytes. Androgen sensitivity and autoimmune disease. I, 661
*Thermoactinomyces vulgaris*, circulating immune complexes in patients with usual interstitial pulmonary fibrosis: partial characterization and relationship with, 817
Thy 1 and MRCOX 2 antigens, different reticular elements in rat lymphoid tissue identified by localization of Ia, 727
Transferrin receptors, expression of, on mitogen-stimulated human peripheral blood lymphocytes: relation to cellular activation and related metabolic events, 703
Trifluoperazine on human neutrophil function, effects of, 677
*Trypanosoma cruzi* from host immune response, on evasion of. Lymphoproliferative responses to trypanosomal antigens during acute and chronic experimental Chagas' disease, 641
*Trypanosoma cruzi* in mice, delayed hypersensitivity to: specific suppressor cells in chronic infection, 409
Trypanosomes, isotypic surface glycoproteins of, 223
Tumour cells, proliferative response of lymphocyte subpopulations differing in avidity for sheep red blood cells after stimulation with normal allogeneic and, 765

Vitamin E on cell-mediated immune responses and serum corticosterone in young and maturing mice, effect of, 289

Xenogeneic cells, non-immunological recognition and killing of, by macrophages. I. Repertoire of recognition, 347
Xenogeneic cells, non-immunological recognition and killing of, by macrophages. II. Mechanism of killing, 357

*Yersinia pestis*, killed, and immunoregulators, delayed-type hypersensitivity and acquired resistance to plague in mice immunized with, 297